



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/538,432

09/07/2006

Andreas Wiers

20800/0204926-US0

2324

7278

7590

09/16/2008

DARBY & DARBY P.C.

P.O. BOX 770

Church Street Station

New York, NY 10008-0770

EXAMINER

KREINER, MICHAEL B

ART UNIT

PAPER NUMBER

3644

MAIL DATE

DELIVERY MODE

09/16/2008

PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

<b>Office Action Summary</b>	<b>Application No.</b> 10/538,432	<b>Applicant(s)</b> WIERS ET AL.	
	<b>Examiner</b> Michael Kreiner	<b>Art Unit</b> 3644	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 07 July 2008.
- 2a) ☒ This action is **FINAL**.                      2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 16-30 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 16-30 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \*    c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |                                                                                      |                                                                   |
|--------------------------------------------------------------------------------------|-------------------------------------------------------------------|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)                     | 4) <input type="checkbox"/> Interview Summary (PTO-413)           |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____                                      |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)          | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____                                                          | 6) <input type="checkbox"/> Other: _____                          |

Art Unit: 3644

## **DETAILED ACTION**

### ***Response to Amendment***

1. The Applicants have amended claim 16 to include the limitation that the driven element is *non-rotatably* connected to the pivoting drive. This amendment fails to overcome the rejection set forth previously, in which the prior art teaches a driven element non-rotatably connected to the pivoting drive.

### ***Claim Rejections - 35 USC § 112***

2. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

3. **THE FOLLOWING 112 REJECTION IS NEW!!!**

4. A broad range or limitation together with a narrow range or limitation that falls within the broad range or limitation (in the same claim) is considered indefinite, since the resulting claim does not clearly set forth the metes and bounds of the patent protection desired. See MPEP § 2173.05(c). Note the explanation given by the Board of Patent Appeals and Interferences in *Ex parte Wu*, 10 USPQ2d 2031, 2033 (Bd. Pat. App. & Inter. 1989), as to where broad language is followed by "such as" and then narrow language. The Board stated that this can render a claim indefinite by raising a question or doubt as to whether the feature introduced by such language is (a) merely exemplary of the remainder of the claim, and therefore not required, or (b) a required feature of the claims. Note also, for example, the decisions of *Ex parte Steigewald*, 131 USPQ 74 (Bd. App. 1961); *Ex parte Hall*, 83 USPQ 38 (Bd. App. 1948); and *Ex parte Hasche*, 86 USPQ 481 (Bd. App. 1949). In the present instance, claim 1 recites the broad recitation "an

Art Unit: 3644

aircraft door arrangement”, and the claim also recites “especially for an airplane” which is the narrower statement of the range/limitation.

***Claim Rejections - 35 USC § 103***

5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

6. Claims 16-30 are rejected under 35 U.S.C. 103(a) as being unpatentable over Banks et al. (U.S. Pat. No. 5,180,121).

Regarding claim 16, Banks teaches an aircraft door arrangement, especially for an airplane, comprising: a door (14 in fig. 1); a door frame (16 in fig. 1); a support arm (24 in fig. 2) having a first pivoting axis defined by two articulated joints (25 and 26 in fig. 1) disposed at a distance from each other in a vertical direction of the support arm and a second pivoting axis, the door disposed on the support arm and pivotable about the door side pivoting axis and the support arm disposed on the frame and pivotable about the frame side pivoting axis (col. 3 l. 53-60), wherein at least one of the articulated joints includes two bearings (138 in fig. 3) disposed at a distance from each other in the vertical direction, one of the two bearings including a pivoting drive mounting (54 in fig. 3); a pivoting drive (12 in fig. 1) disposed in a region of the support arm and attached to the pivoting drive mounting (col. 4 l. 31-33), the pivoting drive configured to pivot the door; and a driven element (44 in fig. 3) coupled to the pivoting drive and to the door and configured to transmit an actuating movement of the pivoting drive to the door (col. 8 l. 18-24).

Art Unit: 3644

Banks fails to teach that the first pivoting axis defined by the articulated joints is the door side pivoting axis, and likewise the second pivoting axis defined by clevises (28 in fig. 1) is the frame side pivoting axis. It would have been obvious to one of ordinary skill in the art at the time of the invention to reverse the configuration of the support arm connections to predictably obtain the same functionality without introducing any further elements to the aircraft door apparatus.

Regarding claim 17, Banks teaches that, relative to the vertical direction, the upper one of the two articulated joint (25) includes the two bearings (138) and the lower one of the two bearings includes the pivoting drive mounting (col. 12 *l.* 65-68).

Regarding claim 18, Banks teaches that, relative to the vertical direction, the lower one of the two articulated joint includes the two bearings and the upper one of the two bearings includes the pivoting drive mounting (col. 4 *l.* 31-33).

Regarding claim 19, Banks fails to teach an attachment device configured to detachably affix the pivoting drive mounting to the support arm. Banks's pivoting drive mounting (54) is part of the support arm (24), and is not detachable from the support arm. It would have been obvious to one of ordinary skill in the art at the time of the invention to make the pivoting arm mounting as a separate part and attach it to the support arm with attachment devices such as fasteners. Such a design would predictably allow for easier removal of the pivoting drive assembly, and is considered an obvious design variation.

Regarding claim 20, Banks teaches that the pivoting drive mounting is configured integrally with the support arm (col. 4 *l.* 31-33).

Regarding claim 21, Banks teaches the pivoting drive mounting includes a bearing section (76 in fig. 3), the bearing (138 in fig. 3) being formed in the bearing section.

Art Unit: 3644

Regarding claim 22, Banks teaches the pivoting drive mounting includes a pivoting drive attachment section (54) extending essentially vertically with respect to the door side pivoting axis and connected to a front section (44 in fig. 3) of the pivoting drive (col. 4 *l.* 31-33).

Regarding claim 23, Banks teaches the pivoting drive includes a support arm attachment section (col. 4 *l.* 31-33).

Regarding claim 24, Banks teaches the pivoting drive mounting has a driven axis disposed flush with the door side pivoting axis (axis extending through the center of piston 42 in fig. 3).

Regarding claim 25, Banks teaches the pivoting drive mounting (54) is disposed in the door side pivoting axis and between the two articulated joints (25 and 26, where clevis flange 99 of plate 96 is the lower flange of 26 as shown in fig. 3 and discussed in col. 5 *l.* 49-55).

Regarding claim 26, Banks teaches the pivoting drive (12) includes a hollow driven shaft (42 in fig. 3) and a bearing pin (44 in fig. 3) engaging non-rotatably into the shaft, the bearing pin extending all the way through the first bearing and into the pivoting drive mounting (54), and wherein the driven element is connected non-rotatably to the bearing pin (col. 8 *l.* 18-24).

Regarding claim 27, Banks teaches a portion of the pivoting drive (splined sleeve 44 in fig. 3) attached to the pivoting drive mounting (54) forms a hinge site (col. 8 *l.* 18-20).

Regarding claim 28, Banks teaches a driven shaft (42) of the pivoting drive forms a hinge pin of the one articulated joint (26) on which the pivoting drive mounting is disposed (col. 8 *l.* 18-24), and wherein the driven element is rotatably connected to the driven shaft.

Regarding claim 29, Banks fails to teach the driven element (44) engages the support arm (24) between the pivoting drive mounting (54) and the other of the two bearings (25). Banks's

Art Unit: 3644

driven element engages the support arm at the pivoting drive mounting, predictably with no overall change in functionality, as an obvious design variation.

Regarding claim 30, Banks teaches the door is a passenger door (col. 1 *l.* 11-13).

***Response to Arguments***

7. The drawing objections set forth in the previous Office action have been rescinded in light of Applicants' remarks.

8. Applicant's arguments filed 7 July 2008 have been fully considered but they are not persuasive.

9. In the first argument, the Applicants assert that the splined sleeve 44 of Banks is rotatably connected to the piston rod 42, citing column 7 lines 49-67 as evidence. This passage teaches that the piston rod 42 translates as a result of forces on the piston 40, and also that splined shaft 44 rotates as a result of the action of the cams 50 & 52 and cam followers 46 & 48. This passage fails to teach that the piston rod does not rotate relative to the splined sleeve. The piston rod is connected to the splined sleeve by a pair of bushings 73 (col. 4 *l.* 55-57). A threaded portion of the piston rod is also connected at its free end 83 to nut 81 and washer 82. While these connections allow for the linear movement of the piston rod to be transferred to the cam assembly, these connections do not prevent the rotation of piston rod 42 as it is rotated by splined shaft 44 via the friction fitting of the bushings 73. The Applicants' argument that the splined shaft 44 and piston rod 42 are rotatably connected is therefore not persuasive.

10. In the second argument, the Applicants assert that Banks fails to suggest the feature that the pivoting drive mounting is included on a bearing of a door pivoting axis. The original Office action stated that it would have been obvious to reverse the configuration of the support arm

Art Unit: 3644

connections, thus the pivoting drive mounting would be connected to the door, and would be included on a bearing of the door pivoting axis, which is aligned with the piston of the door pivoting drive. The Applicants assertion is therefore not persuasive, as it does not pertain to the modified door structure as set forth in the previous office action.

***Conclusion***

11. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael Kreiner whose telephone number is (571)270-5379. The examiner can normally be reached on Monday-Friday 7:30am-5:00pm (EST).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Mansen can be reached on (571)272-6608. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.



Art Unit: 3644

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Michael R Mansen/  
Supervisory Patent Examiner, Art Unit 3644

/M. K./  
Examiner, Art Unit 3644